

- ABRAM SE, Asiddao CB, Reynolds AC. Increased skin temperature during transcutaneous electrical stimulation. *Anesth Analg* 1980;59: 22-25.
- ABRAM SE, Reynolds AC, Cusick JF. Failure to naloxone to reverse analgesia from transcutaneous electrical stimulation in patients with chronic pain. *Anesth Analg* 1981; 60: 81-84.
- ANDERSON S.~ and Holmgren, E., On acupuncture analgesia and the mechanism of pain, *Amer. J. Chin. Med.*, 3 (1975) 311-334.
- BELLINI F., DURANTI R., GALLETTI R., PANTALEO T. (1984). Variations in muscular pain threshold and eyeblink response induced by vibratory stimulation. In: Bromm B. (ed.), *Pain Measurement in Man. Neurophysiological Correlates of Pain*, pp. 135-141, Elsevier, Amsterdam.
- BESSON J.M., CHAOUH A. (1987). Peripheral and spinal mechanisms of nociception. *Physiol Rev*, 67: 67-186
- BESSON JM, Guilbaud G, Abdelmounene M, et al. Physiologie de la nociception. Paris: *J Physiol* 1982; 78: 7-107.
- BOUREAU F., WILLER J.C. (1982). La douleur, exploration, traitement par neurostimulation et électroacupuncture. Masson (Ed.). Paris.
- BURKE D., HAGBARTH K.E., LOFSTEDT L., WALLIN B.G. (1976a). The response of human muscle spindle endings to vibration of non contracting muscles. *J Physiol (London)*. 26/: 673-693.
- BURKE D., HAGBARTH K.E., LOFSTEDT L., WALLIN B.G. (1976b). The response of human muscle spindle ending to vibration during isometric contraction. *J Physiol (London)*, 261: 695-711.
- CERVERO F., IGGO A., OGAWA H. (1976). Nociceptor-driven dorsal horn neurons in the lumbar spinal cord of the cat. *Pain*, 2: 5-24.
- CESELIN F. Endorphines et nociception. *Rev Neurol* 1986; 142:649-670.
- CHAOUCH A., BESSON J.M. (1986). Mécanismes périphériques et médullaires de la nociception. *Rev Neurol (Paris)*. 146:173-200.
- DURAND P.A., Romain M., La stimulation vibratoire transcutannée dans la rééducation de la main, *Journal d'Ergothérapie*, Masson, 1993, 15, 2 , 44-46.
- DURAND P.A., Romain M., L'assistance vibratoire proprioceptive dans la rééducation du poignet, *Ann. Kinésithér.*, 1992, t. 19, n0 3 , pp. 152-154.
- DURAND P.A., Romain M., Dupuy S., Géhin M., La Rééducation face aux douleurs neurologiques post traumatiques, *L'Ergothérapie à l'aube de 1993*, R.R.F. 92 , Marseille, 25,26 Septembre 1992, A.N.F.E., Paris, A.G.E.F.I.P.H., Marseille
- DURAND P.A., Romain M. - Rééducation de la sensibilité de la main. In: Izard M.H., Moulin M., Nespoulous R. (eds): *Expériences en ergothérapie*, 4è série, Masson, Paris, Masson, 1992, 254 pages, 142-148.
- EKBLOM A., HANSSON P.T. (1985). Extra-segmental transcutaneous electrical nerve stimulation and mechanical vibratory stimulation as compared to placebo for the relief of acute orofacial pain. *Polit*. 23:
- EKLUND G. (1972). Position sense and state of contraction : the effects of vibration. *J Neurol Neurosurg Psychiat.*, 35: 606-611
- ERIKSSON M., Sjölund, B. and Nielzén, S., Long term results of peripheral conditioning stimulation as an analgesic measure in chronic pain, *Pain*, 6 (1979) 335-347.
- ERTEKIN C. and Akcali, D., Effect of continuous vibration of nociceptor flexor reflexes. *J. Neurol. Neurosurg. Psychiat.*, 41 (1978) 532-537.
- FEINE J.S., CHAPMAN C.E., LUND J.P., DUNCAN G.H., BUSHNELL M.C. (1990). The perception of painful and non painful stimuli during voluntary motor activity in man. *Somatosensory Motor Res.* 7: 113-124.
- GILLMAN MA, Lichtigfeld FJ. A pharmacological overview of opioid mechanisms and mediating analgesia and hyperalgesia. *Neurological Research* 1985; 7:105-1109.

- GOODWIN GM, McCloskey DI, Matthews PBC. The contribution of muscle afferents to kinesthesia shown by vibration induced illusions of movement and by the effects of paralyzing joint afferents. *Brain* 1972; 95: 705-748.
- GUIEU R, Tardy-Gervet MF, Roll JP. Effets antalgiques des vibrations mécaniques associées à des stimulations électriques transcutanées. In: INRS eds. Proceedings of United Kingdom and French joint meeting on Human Response to Vibration. Vandoeuvre-les-Nancy: INRS Press 1988; 230-239.
- GUIEU R, Tardy-Gervet MF, Roll JP. Vibrations applied simultaneously with transcutaneous electrical nerve stimulation as means of treating chronic pain. *Eur J Neurosci* 1989; 2:170 (Suppl).
- GUIEU R, Tardy-Gervet MF, Blin O, et al. Pain relief achieved by transcutaneous electrical nerve stimulation and or vibratory stimulation in a case of painful legs and moving toes. *Pain* 1990; 42: 43-48.
- GUIEU R, Dano P, Tardy-Gervet MF, et al. Effets de la Naloxone sur l'antalgie induite par les stimulations vibratoires. *Press Méd* 1989; 24:1207.
- GUIEU R., TARDY-GERVET M.F., BIN O., POUGET J. (1990). Pain relief achieved by transcutaneous electrical nerve stimulation and/or vibratory; stimulation in a case of painful legs and moving toes. *Pain*. 42: 43-48.
- GUIEU R., TARDY-GERVET M.F., ROLL J.P. (1991). Analgesic effects of vibration and transcutaneous electrical nerve stimulation applied separated and simultaneously to patients with chronic pain. *Can J Neurol sci.*, /8: 113- 119.
- GUIEU R., TARDY-GERVET M.F., GIRAUD P. (1992). Met-enkephalin and beta-eendorphin are not involved in the analgesic action of transcutaneous vibratory stimulation. *Polit*. 48: 83-88.
- HAMALAINEN, H. and Järvilehto, T., Peripheral neural basis of tactile sensations in man. I. Effect of frequency and probe area on sensations elicited by single mechanical pulses on hairy and glabrous skin of the hand, *Brain Res.*, 219(1981) 1-12.
- HANSSON P., EKBLÖM A. (1983). Transcutaneous electrical nerve stimulation (TENS) as compared to placebo TENS for the relief of acute orofacial pain. *Pain*. /5:157-165.
- HANSSON P., EKBLÖM A. (1984). Afferent stimulation induced pain relief in acute orofacial pain and its failure to induce sufficient pain reduction in dental and oral surgery. *Pain*, 20:273-278.
- HANSSON P., EKBLÖM A. (1986). Influence of stimulus frequency and probe size on vibration induced alleviation of acute orofacial pain. *Appl Neurophysiol*, 49 155-165.
- HANSSON P., EKBLÖM A., THOMSON M., FJELLNER B. (1986). Influence of naloxone on relief of acute orofacial pain by transcutaneous electrical nerve stimulation or vibration. *Pain*. 24: 323-329. 81:813-814.
- HYVARINEN J, Pykkö J, Sunberg S. Vibration frequencies and amplitudes in the aetiology of traumatic vasospastic disease. *Lancet* 1973; 14: 791-793.
- HONGO T., JANKOWSKA E., LUNDBERG A. (1968). Post-synaptic excitation and inhibition from primary afferents in neurons of spinocervical tract. *J Physiol (London)*. 199: 569-592.
- HULLIGER M., Nordh, E., Thelin, A.E. and Vallbo, A.B., The responses of afferent fibers from the glabrous skin of the hand
- HUSKISSON E.C., Measurement of pain, *Lancet*, 9 (1974) 1127-1131.
- MOUNTCASTLE V.B. *Medical Physiology* Ed. 12, Saint Louis: C.V. Mosby, 1968.
- JÄRVILEHTO T., HÄMÄLÄINEN H., SOININEN K. (1981). Peripheral neural basis of tactile sensations in man : II characteristics of human mechanoreceptors in the hairy skin and correlation of their activity with tactile sensations. *Brain Res*. 219: 13-29.
- JOHANSSON R.S., LANDSTRÖM V., LUNDBERG R. (1982). Responses of mechanoreceptor afferent units in the glabrous skin of the human hand to sinusoidal displacements. *Brain Res*. 244: 17-25.
- JOHANSSON R.S., VALLBO A.B. (1979). Detection of tactile stimuli. Thresholds of afferent units related to psychophysical thresholds in the human hand. *J Physiol (London)*. 297: 405-422.
- JOHANSSON R.S., VALLBO A.B. (1980). Spatial properties of the population of mechanoreceptive units in the glabrous skin of the human hand. *Brain Res*. /84: 353-366.

- JOHANSSON R.S., VALLBO A.B. (1983). Tactile sensory coding in the glabrous skin of the human hand. *Trends in Neurosci.* 6: 27-32.
- JOHANSSON R.S., Landström, U. and Lundström, R.J.I., Responses of mechanoreceptive afferent units in the glabrous skin of the human hand to sinusoidal skin displacements, *Brain Res.*, 244(1982) 17-25.
- JOHANSSON, R.S. and Vallbo, A.B., Tactile sensory coding in the glabrous skin of the human hand, *Trends Neurosci.*, 6 (1983) 27-32.
- JOHANSSON, R.S. and Westling, G., Roles of glabrous skin mechanoreceptors and sensorimotor memory in automatic control of precision grip when lifting rougher or more slippery objects, *Exp. Brain Res.*, 56(1984) 550-564.
- JOHANSSON R.S. and Westling, G., Tactile afferent input influencing motor coordination during precision grip. In A. Struppler and A. Weindl (Eds.), *Clinical Aspects of Sensory Motor Integration*, Springer, Berlin, 1987, pp. 3-13.
- JOHANSSON, R.S. and Westling, G., Signals in tactile afferents from the fingers eliciting adaptive motor responses during precision grip, *Exp. Brain Res.*, 66(1987)141-154.
- KJARTANSSON J, Lundeberg T, Korlof B. Transcutaneous electrical nerve stimulation (TENS) in ischemic tissue. *Plast Reconstr Surg* 1988;
- KNIBESTOL M. and Vallbo, A.B.. Intensity of sensation related to activity of slowly adapting mechanoreceptive units in the human hand, *J. Physiol. (Lond.)*, 300 (1980) 251-267.
- KNIBESTÔL M. (1973). Stimulus-response functions of rapidly adapting mechanoreceptors in the human glabrous skin area. *J Physiol (London)*. 232: 427-452.
- KNIBESTÔL M. (1975). Stimulus-response functions of slowly adapting mechanoreceptors in the human glabrous skin area. *J Physiol (London)*. 245: 63-80.
- KNIBESTÔL M., VALLBO A.B. (1970). Single unit analysis of mechanoreceptor activity from the human glabrous skin. *Acta Physiol Scand.* 80 178-195.
- KONIETZNY F., HENSEL H. (1977). Response of rapidly and slowly adapting mechanoreceptors and vibratory sensitivity in human hairy skin. *Pflugers Arch.* 368:39-44.
- KONIETZNY, F., Prl, E.R., Trevino, D., Light, A. and Hensel, H., Sensory experiences in man evoked by intraneural electrical stimulation of intact cutaneous afferent fibres, *Exp. Brain Res.*, 42 (1981) 219-222
- LEVINE JD, Gordon NC, Fields HL. Naloxone dose dependently produces analgesia and hyperalgesia in postoperative pain. *Nature* 1979; 278: 740-41
- LEVINE J.D., Gordon, N.C., Jones, R.T. and Fields, H.L., The narcotic antagonist naloxone enhances clinical pain, *Nature (Lond.)*, 272 (1978) 826-827.
- LINDBLÖM V., Iggo A. (eds.), *Advances in Pain Research and Therapy*, Vol. 5. pp. 495-534, Raven Press, New York. .
- LUNDEBERG T. (1984) Long term results of vibratory stimulation as a pain relieving measure for chronic pain. *Pain* 20, 12-23
- LUNDEBERG T. Naloxone does not reverse the pain-reducing effect of vibratory stimulation. *Acta Anesthesiol Scand* 1985; 29: 212-216.
- LUNDEBERG T. (1983). Vibratory stimulation for the alleviation of chronic pain. *Acta. Physiol Scand. Suppl* 523:1-51.
- LUNDEBERG T. (1984). The pain suppressive effect of vibratory-stimulation and transcutaneous electrical nerve stimulation (TENS) as compared to aspirin. *Brain Res.* 294: 201-209.
- LUNDEBERG T. (1985a). Relief of pain from a phantom limb by peripheral stimulation. *J. Neurol-* 232: 79-82.
- LUNDEBERG T. (1985b). Naloxone does not reverse the pain-reducing effect of vibratory stimulation. *Acta Anesthesiol Scand.* 29:212-216.
- LUNDEBERG T., OTTOSSON D., HARANSSON S., MEYERSON B.A. (1983).
Vibratory-stimulation for the control of intractable chronic orofacial pain. in: Bonica J.J

- LUNDEBERG T. - ABRAHAMSSON P., BONDESSON L. HAKER E. (1988). Effect of vibratory stimulation on experimental and clinical pain. *Scand J Rehab Med.* 20: 149-159
- LUNDEBERG T., Nordemar R., Ottoson D. - pain alleviation by vibratory stimulation. *Pain*, 1984, 20, 25-44.
- LUNDSTROM R. Responses of mechanoreceptive afferent units in the glabrous skin of the human hand to vibration. *Scand J Work*
- LUNDSTROM R. (1986). Responses of mechanoreceptive afferent units in the glabrous skin of the human hand to vibration. *Scand J Work Environ Health*, 125:413-416.
- LUNDSTROM R.J.1. and Johansson, R.S., Acute impairment of the sensitivity of skin mechanoreceptive units caused by vibration exposure of the hand, *Ergonomics*, 29(1986)687-698.
- MC CULLOCH W.S., Cronley.Dillon, J.R., Duchane, E.M., Gesteland, R.C., Johnson, A.R., Lettvin, J.Y., Maturana, H.R., Pitts, W.H., Taub, A. and Wall, P.D., Effect of touch stimuli on pain and temperature sensations, *M.I.T. Quart. Progr. Rep.*, 52 (1959) 168-176.
- MANNHEIMER J.S., LAMPE G.N. (1984). Clinical transcutaneous electrical nerve stimulation. Davis Company (ed.). Philadelphia.
- MANSAT M., Delprat J., Delprat J.M. Le vibromètre: un générateur de vibrations pour le bilan quantitatif et la rééducation de la sensibilité. *Rev. Réadapt.Fonc. Prof et Soc.*, 1980, 6, 20-23
- MELZACK R. The short-form Mc Gill pain questionnaire. *Pain* 1987; 30:191-197
- MELZACK R, Wall PD. Le défi de la douleur, 3è édition (English translation of: "Challenge Of pain"). Montmagny: Edisem 1989; 290 p.
- MELZACK R., WALL P.D. (1965). Pain mechanism : a new theory. *Science*. 150; 971-978.
- MELZACK R., WALL P.D. (1989). Le défi de la douleur, 3e édition (English translation of Challenge of pain ..). Edisem (ed.), Montmagny.
- MELZACK R. and Schechter, B., Itch and vibration, *Science*, 147 (1965) 1047-1048.
- MELZACK R. and Wall, P.D., Pain mechanisms: a new theory, *Science*, 150 (1965) 971-979.
- MEYERSON BA. (1983). Electrostimulation procedures effects, presumed rationale, and possible mechanisms. 1.: *Bonica* 3.3..
- MILLAN MJ. Multiple opioid systems and pain. *Pain* 1986; 27: 303-347.
- MOBERG E., The role of cutaneous afferents in position sense, kinesthesia, and motor function of the hand, *Brain*, 106(1983) 1-19.
- NEIGER H., Giholdès J.C., Roll J.P. - Méthode de rééducation motrice par assistance proprioceptive vibratoire. Partie II: Restauration de la mobilité articulaire après immobilisation thérapeutique. *Ann. kinésithér.*, 1983,10, 11-19.
- OCHOA J. and Torebjörk, E., Sensations evoked by intraneural microstimulation of single mechanoreceptor units innervating the human hand, *J. Physiol. (Lond.)*, 342 (1983) 633-654.
- OTTOSON D., EKBLÖM A., HANSSON P. (1981). Vibratory stimulation for the relief of pain of dental origin. *Pain*. 10:37-45
- PERTVARA A., Modification of human pain threshold by specific tactile receptors. *Acta physiol. scand.*, 107 (1979) 33~341.
- RIBOT E., Roll, J.P. and Gauthier, G.M., Comparative effects of whole body vibration on sensorimotor performance achieved with a mini-stick and a macro-stick in force and position control modes, *Aviat. Space Environ. Med.*, 57 (I 1986), 792-799.
- RIBOT-GISCAR E., Vedel J.P., Roll J.P. - Vibration sensitivity of slowly and rapidly adapting cutaneous mechanoreceptors in the human foot. *Neurosci. Lett.*, 1989,104, 130-135.
- RIERA G. - Intérêt des stimulations vibratoires dans la pathologie des nerfs périphériques. Thèse de médecine, Montpellier, 1986, 143

- ROLL J.P., Gilholdès J.C. - Méthode de rééducation motrice par assistance proprioceptive vibratoire. Partie I: Données fondamentales concernant les effets perceptifs et moteurs des vibrations tendineuses chez l'homme. *Ann. Kinésithér.*, 1983,10, 1-10.
- ROLL J.P., Vedel J.P., Contribution des afférences flusoriales au codage du mouvement et des positions: approche neuro-physiologique chez l'homme. *J Physiol*, Paris, 1980,78,60 A.
- ROMAIN M., Ginouvès P., Riera G., Durand P.A., Allieu Y. - Effet antalgique des stimulations vibratoires, étude à propos de 250 dossiers. in: Simon L. (ed.) *Actualités en Rééducation Fonctionnelle et Réadaptation*, 13è série, Masson, Paris, 1988, 469 pages, 178 183.
- ROMAIN M., Ginouvès P., Durand P.A., Allieu Y., Traitement des névromes par stimulations vibratoires. A propos de 72 cas. Communication au G.E.M, Congrès d'automne, Paris, 1987.
- ROMAIN M., Ginouvès P., Durand P.A., Riera G., Allieu Y. La stimulation vibratoire transcutanée en algologie. *Ann. Réadapt. Méd. Phys.*, 1989,32,62-69.
- ROMAIN M., Durand P.A., Kizlik C., Allieu Y. - Question que peut-on attendre de la stimulation vibratoire transcutanée en rééducation ? *Ann. kinésith.*, 1989,16, 361-364.
- RIBOT-GISCAR E. Vedel JP, Roll JP. Vibration sensitivity of slowly and rapidly adapting cutaneous mechanoreceptors in the human foot and leg. *Neurosci Lett* 1989; 104:130-135.
- ROLL JP, Gilhodes JC, Tardy-Gervet MF. Effets perceptifs et moteurs des vibrations musculaires chez l'homme normal: mise en évidence d'une réponse dans les muscles antagonistes. *Arch Ital Biol* 1980; 118:51-71.
- ROLL J.P., VEDEL J.P. (1982). Kinaesthetic role of muscle afferents in man, studied by tendon vibration and microneurography. *Exp Brain Res*, 47:177-190.
- ROLL J.P., VEDEL J.P., RIBOT E. (1989). Alteration of proprioceptive messages induced by tendon vibration in man : a micro neurographic study. *Exp Brain Res*, 76: 2 13-222.
- SALTER M.W., HENRY J.L. (1987). Evidence that adenosine mediates the depression of spinal dorsal horn neurones induced by peripheral vibration in the cat. *Neuroscience*. 22: 631-650.
- SALTER M.W., HENRY J.L. (1989). Physiological characteristics of responses of wide dynamic range spinal neurones to cutaneously applied vibration in the cat. *Brain Res*. 507: 69-84.
- SALTER M.W., HENRY J.L. (1990). Differential responses of nociceptive vs. non-nociceptive spinal dorsal horn neurones to cutaneously applied vibration in the cat. *Pain*. 40: 311-322.
- SALTER M.W., De KONINCK, HENRY J.L. (1991). Le rôle des purines dans la modulation de la douleur au niveau spinal par la stimulation d'afférences non nociceptives. *Doul. Analg*, 3: 137-142.
- SCOTT J., Huskisson E.C. - Graphic representation of pain. *Pain*, 1976,2,175-184
- SEDAN R, LAZORTHES Y. (1978). La neurostimulation électrique. *Neurochirurgie*, suppl 1:1-138.
- SJOLUNG BH, Eriksson MBE. The influence of naloxone on analgesia produced by peripheral conditioning stimulation. *Brain Res* 1979; 173: 295-301.
- SKOGLUND C.R. (1989). Vasodilatation in human skin induced by low amplitude high frequency vibration. *Clin Physiol*, 9: 361-69.
- SPICHER C., Kohut G. - Une augmentation importante de la sensibilité superficielle, de nombreuses années après une lésion neurologique périphérique, par Stimulation Vibratoire Trans-cutannée (SVT). *Ann. Chir. Main*, 1997. Accepté pour publication.
- SPICHER C., Kohut G. - Rapid relief of a painful, long-standing post-traumatic digital neuroma treated by transcutaneous vibratorv stimulation (TVS). *J Hand Ther.*, 1996,9, 47-51.
- TALBOT W.H., Darian-Smith, I., Kornhuber, H.H. and Mountcastle, V.B., The sense of flutter.vibration: comparison of the human capacity with response patterns of mechanoreceptive afferents from the monkey hand, *J. Neurophysiol.*, 31 (1968) 301-334.
- TARDY-GERVAIS M.F., Guieu R., Ribot-Ciscar E., Roll J.P. - Les vibrations mécaniques transcutanées effets antalgiques et mécanismes antinociceptifs. *Rev. Neurol.*, 1993,149, 177-185.

- TARDY-GERVAIS M.F., Guieu R., Ribot-Ciscar E., Roll J.P. - Les vibrations mécaniques transcutanées. *kinésithér Sct*, 1994, 333, 7-12.
- TARDY-GERVAIS M.F., Guieu R., Ribot-Ciscar E., Gantou B., Roll J.P. - Two methods for the sensory control of pain : transcutaneous mechanical vibration, applied either alone or associated with TENS. *Fur. J. Pain*, 1994, 15, 13-21.
- THORSTEINSON G., Stonnington, H.H., Stillwell, G.K. and Elveback, L.R., Transcutaneous electrical stimulation: a double-blind trial of its efficacy for pain, *Arch. phys. Med. Rehab.*, 58 (1977) 8-13.
- TSURVOKA M. LI QJ., MATSUI Y. (1990). Inhibition of nociceptive responses of wide-dynamic-range neurons by peripheral nerve stimulation. *Brain Res Bull*, 25: 387-392.
- VALLBO A.B., HAGBARTH KE. (1968). Activity from skin mechanoreceptors recorded percutaneously in awake human subjects. *Exp Neurol*, 21 :270-289
- VALLBO A.B., Sensation evoked from the glabrous skin of the human hand by electrical stimulation of unitary mechanosensitive afferents, *Brain Res.*, 215(1981)359-363.
- VALLBO A.B. and Johansson. R.S., Properties of cutaneous mechanoreceptors in the human hand related to touch sensation. *Human Neurobiol.*, 3(1984) 3-14.
- VEDEL I.P., ROLL J.P. (1982). Response to pressure and vibration of slowly adapting cutaneous mechanoreceptors in the human foot. *Neurosci Lett*. 34: 289-294.
- VEDEL JP, Roll JR Muscle spindle contribution to the coding of motor activities in man. In: Massion J, Paillard J, Schultz W, et al., eds. *Neural Coding of Motor Performance*. *Exp Brain Res* 1983; 7: 253-265 (Suppl).
- VERLEYSSEN I. (1956). *Histoire du massage et de la gymnastique médicale*. École technique supérieure de Kinésithérapie (ed.). Bruxelles.
- WALL P.D., CRONLY-DILLON J.R. (1960). Pain, Itcb. and vibration. *Arch Neurol*, 2:365-375. *Environ Health* 1986; 125:413-416.
- WESTLING G. and Johansson, R.S., Factors influencing the force control during precision grip, *Exp. Brain Res.*, 53 (1984) 277-284.
- WESTLING G. and Johansson, R.S., Responses in glabrous skin mechanoreceptors during precision grip in humans, *Exp. Brain Res.*, 66 (1987)128-140.
- WILLIS WD, Coggeshall RE. *Sensory mechanisms of the spinal cord*. New York: Plenum Press, eds. 1978; 485 p.